

Amendment "A" page 2 of 9
10/658,168

DOCKET NO. 03-0485
81578(6653)

Amendment to the Claims:

1 (currently amended): A method of qualifying a process tool comprising steps of:

(a) finding a plurality of pre-scan defect locations on a surface of a semiconductor wafer;

(b) subjecting the semiconductor wafer to processing by a process tool after step (a);

(c) finding a plurality of post-scan defect locations on the surface of the semiconductor wafer after step (b); and

(d) calculating which defects were ~~defect locations~~ added by the process tool from the pre-scan defect locations and the post-scan defect locations.

2 (currently amended): The method of Claim 1 further comprising a step of displaying a map of the defects ~~defect locations~~ added by the process tool.

3 (currently amended): The method of Claim 1 further comprising a step of displaying a scatter plot of a point representative of a total number of ~~added defects~~ added by the process tool to the ~~versus a corresponding~~ semiconductor wafer.

4 (original): The method of Claim 3 further comprising a step of displaying a selected failure threshold on the scatter plot.

5 (currently amended): The method of Claim 3 further comprising a step of selecting the point on the scatter plot to initiate a display of one of a pre-test wafer map, a post-test wafer map, and an added defect map of defects added by the process tool to the corresponding semiconductor wafer.

6 (currently amended): The method of Claim 5

Amendment "A" page 3 of 9
10/658,168

DOCKET NO. 03-0485
81578(6653)

further comprising a step of associating a spatial signature of ~~the~~ added defects from the added defect map with a process tool malfunction.

7 (original): The method of Claim 1 wherein step (d) comprises comparing a distance between a first point corresponding to a defect location in a first list of pre-test defect locations and a second point corresponding to a defect location in a second list of post-test defect locations with a registration tolerance.

8 (original): The method of Claim 7 wherein the defect location in the second list corresponding to the second point is marked as a non-adder if the distance is less than the registration tolerance.

9 (original): The method of Claim 8 wherein the first list and the second list are sorted by X-coordinate.

10 (original): The method of Claim 9 wherein defect locations in the first list and the second list having identical X-coordinates are further sorted by Y-coordinate.

11 (currently amended): A computer program product for qualifying a process tool comprising:

a medium for embodying a computer program for input to a computer; and

a computer program embodied in the medium for causing the computer to perform steps of:

(a) finding a plurality of pre-scan defect locations on a surface of a semiconductor wafer;

(b) subjecting the semiconductor wafer to processing by a process tool after step (a);

(c) finding a plurality of post-scan defect locations on the surface of the semiconductor wafer after step (b); and

(d) calculating which defects were ~~defect locations~~ added

Amendment "A" page 4 of 9
10/658,168

DOCKET NO. 03-0485
81578(6653)

by the process tool from the pre-scan defect locations and the post-scan defect locations.

12 (currently amended): The computer program product of Claim 11 ~~[[7]]~~ further comprising a step of displaying a map of locations of the defects ~~defect locations~~ added by the process tool.

13 (currently amended): The computer program product of Claim 11 ~~[[7]]~~ further comprising a step of displaying a scatter plot of a point representative of a total number of added defects added by the process tool to the ~~versus a corresponding~~ semiconductor wafer.

14 (currently amended): The computer program product of Claim 13 ~~[[9]]~~ further comprising a step of displaying a selected failure threshold on the scatter plot.

15 (currently amended): The computer program product of Claim 13 ~~[[9]]~~ further comprising a step of selecting the point on the scatter plot to initiate a display of one of a pre-test wafer map, a post-test wafer map, and an added defect map of defects added by the process tool to the ~~corresponding~~ semiconductor wafer.

16 (currently amended): The computer program product of Claim 15 ~~[[11]]~~ further comprising a step of associating a spatial signature of ~~the~~ added defects from the added defect map with a process tool malfunction.

17 (original): The computer program product of Claim 11 wherein step (d) comprises comparing a distance between a first point corresponding to a defect location in a first list of pre-test defect locations and a second point corresponding to a defect location in a second list of post-test defect locations with a registration tolerance.

Amendment "A" page 5 of 9
10/658,168

DOCKET NO. 03-0485
81578(6653)

18 (original): The computer program product of Claim 17 wherein the defect location in the second list corresponding to the second point is marked as a non-adder if the distance is less than the registration tolerance.

19 (original): The computer program product of Claim 18 wherein the first list and the second list are sorted by X-coordinate.

20 (original): The computer program product of Claim 19 wherein defect locations in the first list and the second list having identical X-coordinates are further sorted by Y-coordinate.